Forest Ecology and Management, 47 (1992) 375–376
Elsevier Science Publishers B.V.

Author Index

Amateis, R.L., *see* Burkhart, H.E. et al.
Aronson, J. (St. Louis, MO, U.S.A.), Ovalle, C. (Chillán, Chile) and Avendaño, J. (Cauquenes, Chile)
Early growth rate and nitrogen fixation potential in forty-four legume species grown in an acid and a neutral soil from central Chile 225
Askew, G.R. (Georgetown, SC, U.S.A.)
Potential genetic improvement due to supplemental mass pollination management in conifer seed orchards 135
Avendaño, J., *see* Aronson, J. et al.
Ayemou, A.O., *see* Mendoza, G.A. and Ayemou, A.O.
Bellei, M.M., *see* Kasuya, M.C.M. et al.
Bhatt, B.P. and Todaria, N.P. (Srinagar, Garhwal, India)
Fuelwood characteristics of some Indian mountain species 363
Birk, E.M. and Turner, J. (Beecroft, NSW, Australia)
Response of flooded gum (*E. grandis*) to intensive cultural treatments: biomass and nutrient content of eucalypt plantations and native forests 1
Borges, A.C., *see* Kasuya, M.C.M. et al.
Brister, G.H., *see* Shiver, B.D. and Brister, G.H.
Burkhart, H.E., Munsey, Jr., D.E. and Amateis, R.L. (Blacksburg, VA, U.S.A.) and Hedden, R.L. (Clemson, SC, U.S.A.)
Predicting impact of southern pine beetle infestations on rotation-age yield of loblolly pine stands 261
Butler, C.E., *see* Thompson, I.D. et al.
Coutts, M.P., *see* Kuiper, L.C. and Coutts, H.P.
Curran, W.J., *see* Thompson, I.D. et al.
DeGraaf, R.M. (Amherst, MA, U.S.A.)
Effects of even-aged management on forest birds at northern hardwood stand interfaces 95
Finegan, B. (Turrialba, Costa Rica)
The management potential of neotropical secondary lowland rain forest 295
Fogal, W.H. and Larocque, G. (Chalk River, Ont., Canada)
Development of flowers, cones, and seeds in relation to insect damage in two white spruce communities 335
Hancock, J.A., *see* Thompson, I.D. et al.
Hard, J. (Anchorage, AK, U.S.A.)
Success of spruce beetle attacks in pruned and unpruned boles of Lutz spruce in south-central Alaska 51
Hedden, R.L., *see* Burkhart, H.E. et al.
Johansson, T. (Garpenberg, Sweden)
Dormant buds on *Betula pubescens* and *Betula pendula* stumps under different field conditions 245
Jones, S.M., *see* Waldrop, T.A. et al.

Jusoff, K. and Majid, N.M. (Serdang, Selangor, Malaysia)
An analysis of soil disturbance from logging operation in a hill forest of Peninsular Malaysia 323
Kasuya, M.C.M., Muchovej, R.M.C. and Borges, A.C. (Viçosa, MG, Brazil) and Bellei, M.M. (Florianopolis, SC, Brazil)
In vitro ectomycorrhizal formation in six varieties of pine 127
Klemmedson, J.O. (Tucson, AZ, U.S.A.)
Decomposition and nutrient release from mixtures of Gambel oak and ponderosa pine leaf litter 349
Kuiper, L.C. (Wageningen, The Netherlands) and Coutts, M.P. (Roslin, U.K.)
Spatial disposition and extension of the structural root system of Douglas-fir 111
Larocque, G., *see* Fogal, W.H. and Larocque, G.
Majid, N.M. (Serdang, Selangor, Malaysia) and Paudyal, B.K. (Hetauda, Narayani Zone, Nepal)
Pruning trial for *Acacia mangium* Willd. plantation in Peninsular Malaysia 285
Markalas, S. (Thessaloniki, Greece)
Site and stand factors related to mortality rate in a fir forest after a combined incidence of drought and insect attack 367
Mendoza, G.A. and Ayemou, A.O. (Urbana, IL, U.S.A.)
Analysis of some forest management strategies in Côte d'Ivoire: a regional case study .. 149
Muchovej, R.M.C, *see* Kasuya, M.C.M et al.
Munsey, Jr., D.E., *see* Burkhart, H.E. et al.
Nicholas, N.S. and Zedaker, S.N. (Blacksburg, VA, U.S.A.)
Expected stand behavior: site quality estimation for southern Appalachian red spruce ... 39
Ovalle, C., *see* Aronson, J. et al.
Paudyal, B.K., *see* Majid, N.M. and Paudyal, B.K.
Reynolds, K.M. (Fairbanks, AK, U.S.A.)
Relations between activity of *Dendroctonus rufipennis* Kirby on Lutz spruce and blue stain associated with *Leptographium abietinum* (Peck) Wingfield 71
Segura, G. (Seattle, WA, U.S.A.) and Snook, L.C. (New Haven, CT, U.S.A.)
Stand dynamics and regeneration patterns of a pinyon pine forest in east central Mexico 175
Shiver, B.D. and Brister, G.H. (Athens, GA, U.S.A.)
Tree and stand volume functions for *Eucalyptus saligna* 211
Snook, L.C., *see* Segura, G. and Snook, L.C.
Thompson, I.D., Curran, W.J., Hancock, J.A. and Butler, C.E. (St. Johns, Newfoundland, Canada)
Influence of moose browsing on successional forest growth on black spruce sites in Newfoundland 29
Todaria, N.P., *see* Bhatt, B.P. and Todaria, N.P.
Turner, J., *see* Birk, E.M. and Turner, J.
Tyler, G. (Lund, Sweden)
Tree species affinity of decomposer and ectomycorrhizal macrofungi in beech (*Fagus sylvatica* L.), oak (*Quercus robur* L.) and hornbeam (*Carpinus betulus* L.) forests 269
Waldrop, T.A., White, D.L. and Jones, S.M. (Clemson, SC, U.S.A.)
Fire regimes for pine–grassland communities in the southeastern United States 195
Watt, A.D. (Penicuik, U.K.)
The influence of pine shoot phenology on the survival of pine beauty moth (*Panolis flammea*) larvae on different pine provenances 87
White, D.L., *see* Waldrop, T.A. et al.
Zedaker, S.M., *see* Nicholas, N.S. and Zedaker, S.M.

Forest Ecology and Management, 47 (1992) 377–380
Elsevier Science Publishers B.V.

Subject Index

Abies
Site and stand factors related to mortality rate in a fir forest after a combined incidence of drought and insect attack 367
Acacia
Pruning trial for *Acacia mangium* Willd. plantation in Peninsular Malaysia 285
Acid soil
Early growth rate and nitrogen fixation potential in forty-four legume species grown in an acid and a neutral soil from central Chile 225
Beetle
Predicting impact of southern pine beetle infestations on rotation-age yield of loblolly pine stands 261
Relations between activity of *Dendroctonus rufipennis* Kirby on Lutz spruce and blue stain associated wtih *Leptographium abietinum* (Peck) Wingfield 71
Success of spruce beetle attacks in pruned and unpruned boles of Lutz spruce in south-central Alaska 51
Betula
Dormant buds on *Betula pubescens* and *Betula pendula* stumps under different field conditions 245
Biomass
Response of flooded gum (*E. grandis*) to intensive cultural treatments: biomass and nutrient content of eucalypt plantations and native forests 1
Birds
Effects of even-aged management on forest birds at northern hardwood stand interfaces 95
Blue-stain
Relations between activity of *Dendroctonus rufipennis* Kirby on Lutz spruce and blue stain associated wtih *Leptographium abietinum* (Peck) Wingfield 71
Carpinus
Tree species affinity of decomposer and ectomycorrhizal macrofungi in beech (*Fagus sylvatica* L.), oak (*Quercus robur* L.) and hornbeam (*Carpinus betulus* L.) forests 269
Conifers
Potential genetic improvement due to supplemental mass pollination management in conifer seed orchards 135
Dormancy
Dormant buds on *Betula pubescens* and *Betula pendula* stumps under different field conditions 245
Drought
Site and stand factors related to mortality rate in a fir forest after a combined incidence of drought and insect attack 367
Ectomycorrhizal fungi
In vitro ectomycorrhizal formation in six varieties of pine 127
Eucalyptus
Response of flooded gum (*E. grandis*) to intensive cultural treatments: biomass and nutrient content of eucalypt plantations and native forests 1

Tree and stand volume functions for *Eucalyptus saligna* 211
Fagus
Tree species affinity of decomposer and ectomycorrhizal macrofungi in beech (*Fagus sylvatica* L.), oak (*Quercus robur* L.) and hornbeam (*Carpinus betulus* L.) forests 269
Fire
Fire regimes for pine-grassland communities in the southeastern United States 195
Firewood
Fuelwood characteristics of some Indian mountain species 363
Grassland
Fire regimes for pine–grassland communities in the southeastern United States 195
Growth
Influence of moose browsing on successional forest growth on black spruce sites in Newfoundland 29
Hardwoods
Effects of even-aged management on forest birds at northern hardwood stand interfaces 95
Insect–plant relationship
The influence of pine shoot phenology on the survival of pine beauty moth (*Panolis flammea*) larvae on different pine provenances 87
Intensive cultural treatments
Response of flooded gum (*E. grandis*) to intensive cultural treatments: biomass and nutrient content of eucalypt plantations and native forests 1
Leaf litter
Decomposition and nutrient release from mixtures of Gambel oak and ponderosa pine leaf litter 349
Legumes
Early growth rate and nitrogen fixation potential in forty-four legume species grown in an acid and a neutral soil from central Chile 225
Logging
An analysis of soil disturbance from logging operation in a hill forest of Peninsular Malaysia 323
Macrofungi
Tree species affinity of decomposer and ectomycorrhizal macrofungi in beech (*Fagus sylvatica* L.), oak (*Quercus robur* L.) and hornbeam (*Carpinus betulus* L.) forests 269
Management
Analysis of some forest management strategies in Côte d'Ivoire: a regional case study .. 149
Effects of even-aged management on forest birds at northern hardwood stand interfaces 95
Potential genetic improvement due to supplemental mass pollination management in conifer seed orchards 135
The management potential of neotropical secondary lowland rain forest 295
Models
Analysis of some forest management strategies in Côte d'Ivoire: a regional case study .. 149
Tree and stand volume functions for *Eucalyptus saligna* 211
Moose browsing
Influence of moose browsing on successional forest growth on black spruce sites in Newfoundland 29
Mortality
Site and stand factors related to mortality rate in a fir forest after a combined incidence of drought and insect attack 367

Moth
The influence of pine shoot phenology on the survival of pine beauty moth (*Panolis flammea*) larvae on different pine provenances 87
Neutral soil
Early growth rate and nitrogen fixation potential in forty-four legume species grown in an acid and a neutral soil from central Chile 225
Nitrogen fixing
Early growth rate and nitrogen fixation potential in forty-four legume species grown in an acid and a neutral soil from central Chile 225
Nutrients
Decomposition and nutrient release from mixtures of Gambel oak and ponderosa pine leaf litter 349
Response of flooded gum (*E. grandis*) to intensive cultural treatments: biomass and nutrient content of eucalypt plantations and native forests 1
Pests
Development of flowers, cones, and seeds in relation to insect damage in two white spruce communities 335
Predicting impact of southern pine beetle infestations on rotation-age yield of loblolly pine stands 261
Relations between activity of *Dendroctonus rufipennis* Kirby on Lutz spruce and blue stain associated wtih *Leptographium abietinum* (Peck) Wingfield 71
Site and stand factors related to mortality rate in a fir forest after a combined incidence of drought and insect attack 367
Success of spruce beetle attacks in pruned and unpruned boles of Lutz spruce in south-central Alaska 51
Picea
Development of flowers, cones, and seeds in relation to insect damage in two white spruce communities 335
Expected stand behavior: site quality estimation for southern Appalachian red spruce ... 39
Relations between activity of *Dendroctonus rufipennis* Kirby on Lutz spruce and blue stain associated wtih *Leptographium abietinum* (Peck) Wingfield 71
Success of spruce beetle attacks in pruned and unpruned boles of Lutz spruce in south-central Alaska 51
Pinus
Decomposition and nutrient release from mixtures of Gambel oak and ponderosa pine leaf litter 349
Fire regimes for pine-grassland communities in the southeastern United States 195
In vitro ectomycorrhizal formation in six varieties of pine 127
Predicting impact of southern pine beetle infestations on rotation-age yield of loblolly pine stands 261
Stand dynamics and regeneration patterns of a pinyon pine forest in east central Mexico 175
The influence of pine shoot phenology on the survival of pine beauty moth (*Panolis flammea*) larvae on different pine provenances 87
Pollination
Potential genetic improvement due to supplemental mass pollination management in conifer seed orchards 135
Productivity
Expected stand behavior: site quality estimation for southern Appalachian red spruce ... 39
Pruning
Pruning trial for *Acacia mangium* Willd. plantation in Peninsular Malaysia 285

Success of spruce beetle attacks in pruned and unpruned boles of Lutz spruce in south-central Alaska 51
Pseudotsuga
Spatial disposition and extension of the structural root system of Douglas-fir 111
Quality
Expected stand behavior: site quality estimation for southern Appalachian red spruce ... 39
Quercus
Decomposition and nutrient release from mixtures of Gambel oak and ponderosa pine leaf litter 349
Tree species affinity of decomposer and ectomycorrhizal macrofungi in beech (*Fagus sylvatica* L.), oak (*Quercus robur* L.) and hornbeam (*Carpinus betulus* L.) forests 269
Rain forest
The management potential of neotropical secondary lowland rain forest 295
Regeneration
Stand dynamics and regeneration patterns of a pinyon pine forest in east central Mexico 175
Roots
Spatial disposition and extension of the structural root system of Douglas-fir 111
Soil disturbance
An analysis of soil disturbance from logging operation in a hill forest of Peninsular Malaysia 323
Stand behavior
Expected stand behavior: site quality estimation for southern Appalachian red spruce ... 39
Stand dynamics
Stand dynamics and regeneration patterns of a pinyon pine forest in east central Mexico 175
Volume functions
Tree and stand volume functions for *Eucalyptus saligna* 211